

Butterfly Valves

SPECIFICATIONS

BUTTERFLY VALVES

"B" SERIES BUTTERFLY VALVES

BUTTERFLY VALVES....

Butterfly Valves are available in Manual, Air Actuated, or Air Actuated with two Micro switches and a Solenoid Valve. Clamp or Weld ends are standard. Other connections are available upon request.

Available seat materials include Silicone, Viton®, and EPDM. Sizes range from 1" through 4". All product contact surfaces are available in either T304 or T316 stainless steel.



BUTTERFLY VALVES SPECIFICATIONS....

Size Range: 1" through 4" sizes available

Materials: T304

T316

Info: All stainless handle with eight positions

is standard. Each position is set in 45°

increments.

Silicone seats are standard - other seats available are EPDM and Viton®.

ORDERING SPECIFICATIONS....

Specify: • Quantity

· Product description or Part No.

Size


Material Type

VNE CORPORATION

TEL: 608-756-4930 • FAX: 608-756-3643 • 1-800-356-1111 • Web site: vnestainless.com


BUTTERFLY VALVES

EGCCB - CLAMP




	Silicone / EPDM		Viton	
Size	304	316	304	316
1	\$164.45	\$286.67	\$186.67	\$308.89
1 1/2	\$166.67	\$291.12	\$186.67	\$324.45
2	\$191.12	\$331.12	\$213.34	\$373.34
2 1/2	\$224.45	\$371.12	\$253.34	\$433.34
3	\$291.12	\$451.12	\$324.45	\$517.78
4	\$397.78	\$555.56	\$442.23	\$606.67

EGSSB - WELD



	Silicone / EPDM		Viton	
Size	304	316	304	316
1	\$164.45	\$286.67	\$186.67	\$308.89
1 1/2	\$166.67	\$291.12	\$186.67	\$324.45
2	\$191.12	\$331.12	\$213.34	\$373.34
2 1/2	\$224.45	\$371.12	\$253.34	\$433.34
3	\$291.12	\$451.12	\$324.45	\$517.78
4	\$397.78	\$555.56	\$442.23	\$606.67


APPCCB - NE - CLAMP



	Silicone / EPDM		Vit	on
Size	304	316	304	316
1	\$600.00	\$733.34	\$633.34	\$777.78
1 1/2	\$600.00	\$733.34	\$633.34	\$777.78
2	\$622.23	\$777.78	\$666.67	\$822.23
2 1/2	\$677.78	\$822.23	\$706.67	\$877.78
3	\$744.45	\$888.89	\$777.78	\$966.67
4	\$855.56	\$1,000.00	\$877.78	\$1022.23

BUTTERFLY VALVES

APPSSB - NE - WELD



	Silicone / EPDM		Viton	
Size	304	316	304	316
1	\$688.89	\$822.23	\$722.23	\$866.67
1 1/2	\$688.89	\$822.23	\$722.23	\$866.67
2	\$711.12	\$866.67	\$755.56	\$911.12
2 1/2	\$766.67	\$911.12	\$795.56	\$966.67
3	\$833.34	\$977.78	\$866.67	\$1,055.56
4	\$944.45	\$1,088.89	\$966.67	\$1,111.12

BUTTERFLY VALVES

REPLACEMENT PARTS




Silicone



EPDM




Viton





Part Number	List Price
BVP - B - 96 - 7 - 1.0 - H	\$33.34
BVP - B - 96 - 7 - 1.5 - H	\$36.67
BVP - B - 96 - 7 - 2.0 - H	\$41.67
BVP - B - 96 - 7 - 2.5 - H	\$50.00
BVP - B - 96 - 7 - 3.0 - H	\$53.34
BVP - B - 96 - 7 - 4.0 - H	\$63.34
BVP - B - 96 - 8 - 1.0 - H	\$33.34
BVP - B - 96 - 8 - 1.5 - H	\$36.67
BVP - B - 96 - 8 - 2.0 - H	\$41.67
BVP - B - 96 - 8 - 2.5 - H	\$50.00
BVP - B - 96 - 8 - 3.0 - H	\$53.34
BVP - B - 96 - 8 - 4.0 - H	\$63.34
BVP - B - 96 - 9 - 1.0 - H	\$142.23
BVP - B - 96 - 9 - 1.5 - H	\$142.23
BVP - B - 96 - 9 - 2.0 - H	\$153.34
BVP - B - 96 - 9 - 2.5 - H	\$186.67
BVP - B - 96 - 9 - 3.0 - H	\$197.78
BVP - B - 96 - 9 - 4.0 - H	\$277.78
BVP - B - 96 - 3 - 1.0 - H	\$86.00
BVP - B - 96 - 3 - 1.5 - H	\$93.45
BVP - B - 96 - 3 - 2.0 - H	\$104.67
BVP - B - 96 - 3 - 2.5 - H	\$125.56
BVP - B - 96 - 3 - 3.0 - H	\$165.45
BVP - B - 96 - 3 - 4.0 - H	\$393.34
BVP - B - 96 - 4 - 1 - 1.5 - H	\$4.78
BVP - B - 96 - 4 - 2 - 2.5 - H	\$4.78
BVP - B - 96 - 4 - 3 - 4 - H	\$4.75



Part Number	List Price
BVP - B - 96 - 10	\$69.78
ACT - AS - NE - B ACT - AP - NE - B	\$644.45 \$555.56



Check Valves

SPECIFICATIONS

CHECK VALVES

BALL, SPRING AND AIR BLOW CHECK VALVES

CHECK VALVES....

Check Valves are widely used for both sanitary and industrial applications to prevent backflow of product.

Ball Check Valves are designed to allow full product flow during processing. Once the product flow stops the ball rolls back to the seat at inlet preventing back flow. Ball Check Valves are commonly used with liquid products. Sizes range 11/2" - 3".

Spring Check Valves are designed to assist closure pressure to create a positive shutoff. They are commonly used with liquid products. Sizes range 1" - 4".

Both valves are offered with clamp or weld ends. Other connections are available upon request. Valves are made of T316L stainless steel.

Air Blow Check Valves are designed to evacuate lines of product or CIP solutions. Air Blow Check Valves are made of T316L Stainless Steel.




ORDERING SPECIFICATIONS....

Specify:

- Quantity
- · Product description or Part No.
- Size
- Material Type


BALL CHECK VALVE

EG45BY - CLAMP



	Buna	Viton
Size		
1 1/2	\$833.34	\$933.34
2	\$911.12	\$973.34
2 1/2	\$1,333.34	\$1,422.23
3	\$1,633.34	\$1,966.67

E45BYWW - WELD



	Buna	Viton
Size		
1 1/2	\$833.34	\$933.34
2	\$911.12	\$973.34
2 1/2	\$1,333.34	\$1,422.23
3	\$1,633.34	\$1,966.67

REPLACEMENT PARTS



Buna = 3B



Viton = 3V



Buna = 8B




Viton = 8V

Dord Normbon	List Briss
Part Number	List Price
BCV3B - 1.5	\$109.45
BCV3B - 2.0	\$146.67
BCV3B - 2.5	\$546.67
BCV3B - 3.0*	\$628.89
BCV3V - 1.5	\$257.78
BCV3V - 2.0	\$311.12
BCV3V - 2.5	\$1,111.12
BCV3V - 3.0*	\$1,222.23
BCV6/8B - 1.5	\$0.67
BCV6/8B - 2.0	\$0.96
BCV6/8B - 2.5	\$1.45
BCV6/8B - 3.0*	\$8.34
BCV6/8V - 1.5	\$7.89
BCV6/8V - 2.0	\$10.23
BCV6/8V - 2.5	\$12.78
BCV6/8V - 3.0*	\$58.67

^{*} Redesigned February 2003. Valves purchased after 2003 use 2.5" components


SPRING CHECK VALVE

45C - CLAMP



	EPDM	Viton
Size		
1/2	\$264.45	\$264.45
3/4	\$293.34	\$293.34
1	\$333.34	\$333.34
1 1/2	\$344.45	\$344.45
2	\$382.23	\$382.23
2 1/2	\$595.56	\$595.56
3	\$708.89	\$708.89
4	\$1,020.00	\$1,020.00

45W - WELD




	EPDM	Viton
Size		
1/2	\$264.45	\$264.45
3/4	\$293.34	\$293.34
1	\$333.34	\$333.34
1 1/2	\$344.45	\$344.45
2	\$382.23	\$382.23
2 1/2	\$595.56	\$595.56
3	\$708.89	\$708.89
4	\$1,020.00	\$1,020.00

	Part Number	List Price
	45-SCV352.0	\$22.23
Spring - Heavy	45-SCV3-2.5 - 4.0	\$33.34
	45-SCV3L52.0	\$20.00
Spring - Light - Standard	45-SCV3L-2.5 - 4.0	\$31.12
	45-SCV4575	\$26.67
	45-SCV4 - 1.0-1.5	\$26.67
O-RIng - Viton	45-SCV4-2.0	\$26.67
	45-SCV4-2.5	\$40.00
	45-SCV4-3.0	\$40.00
	45-SCV4-4.0	\$40.00

AIR BLOW CHECK VALVE

EG62 - CLAMP




		EPDM			Viton	
Size	Α	В	С	Α	В	С
1 1/2	\$311.12	\$311.12	\$311.12	\$435.56	\$435.56	\$435.56
2	\$335.56	\$335.56	\$335.56	\$455.56	\$455.56	\$455.56
2 1/2	\$366.67	\$366.67	\$366.67	\$491.12	\$491.12	\$491.12
3	\$402.23	\$402.23	\$402.23	\$526.67	\$526.67	\$526.67
4	\$473.34	\$473.34	\$473.34	\$588.89	\$588.89	\$588.89

REPLACEMENT PARTS - Filter Disc - ABV9 - sold in 50 piece package only - \$1.23 each filter


BALL CHECK WITH AIR BLOW CHECK VALVE


EG45 - CLAMP



			BUNA			Viton	
	Size	ABA	ABB	ABC	ABA	ABB	ABC
	1 1/2	\$1,200.00	\$1,200.00	\$1,200.00	\$1,424.45	\$1,424.45	\$1,424.45
ľ	2	\$1,313.34	\$1,313.34	\$1,313.34	\$1,500.00	\$1,500.00	\$1,500.00
	2 1/2	\$1,806.67	\$1,806.67	\$1,806.67	\$2,011.12	\$2,011.12	\$2,011.12
ľ	3	\$2,153.34	\$2,153.34	\$2,153.34	\$2,464.45	\$2,464.45	\$2,464.45

E45WW - WELD





<u>⇒</u> ER	
<u></u> ΓER	



ER	
<u></u> ΓER	

R		
п		

		BUNA			Viton	
Size	ABA	ABB	ABC	ABA	ABB	ABC
1 1/2	\$1,200.00	\$1,200.00	\$1,200.00	\$1,424.45	\$1,424.45	\$1,424.45
2	\$1,313.34	\$1,313.34	\$1,313.34	\$1,500.00	\$1,500.00	\$1,500.00
2 1/2	\$1,806.67	\$1,806.67	\$1,806.67	\$2,011.12	\$2,011.12	\$2,011.12
3	\$2,153.34	\$2,153.34	\$2,153.34	\$2,464.45	\$2,464.45	\$2,464.45



Ball Valves

BALL VALVES....

Ball Valves are used in a wide variety of high pressure applications. Two factors make them popular. First, a full unrestricted flow that allows no product restrictions through the valve. Second, the three piece design and the removal of a minimal number of bolts allows service to be performed without removing the complete valve from the line.

VNE offers two way ball valves made of T316 (CF8M) stainless steel. PTFE seats are easily removed. Clamp and Weld ends are standard. Other connections are available upon request. 1/2" through 4" sizes are available. Ball Valves meet 3A requirements.



BALL VALVE SPECIFICATIONS....

Size: 1/2", 3/4", 1", 1 1/2", 2",

2 1/2", 3", 4"

Material: Passivated 316 Stainless

Steel (ASTM A351, CF8M)

Connections: Clamp, Buttweld, & Orbital

weld - other connections available upon request

Working Pressure: 1/2" - 1" 1,000 psi

1 1/2" - 2" 1,000 psi 2 1/2" - 4" 600 psi

ORDERING SPECIFICATIONS....

Specify: • Quantity

- · Product description or Part No.
- Size
- Material Type

IMPORTANT FEATURES...

- 3 Piece design allows valve ends to remain attached while servicing valve body
- · Meets 3A requirements
- · 100% Tested
- Valves marked with heat numbers for full identification and traceability
- · English hardware
- Maintenance and servicing is made easy with removal of a minimal number of bolts
- · Reinforced Teflon® Seats
- · PTFE Cavity Filler, fully encapsulated
- · Locking device handle
- Air Actuator mounting kits which include ISO-5211 pads are available
- Repair kits are available

Teflon is a trademark

VNE CORPORATION


P.O. Box 1698 • 1149 Barberry Drive • Janesville, WI 53547

TEL: 608-756-4930 • FAX: 608-756-3643 • 1-800-356-1111 • Web site: vnestainless.com

2 - WAY BALL VALVES


CLAMP AND WELD VALVES

EG90CC - CLAMP



Size	316
1/2	\$82.23
3/4	\$100.00
1	\$137.78
1 1/2	\$233.34
2	\$335.56
2 1/2	\$733.34
3	\$966.67
4	\$1,655.56

E90WW - WELD



316
\$82.23
\$100.00
\$137.78
\$233.34
\$335.56
\$733.34
\$966.67
\$1,655.56

	Part Number	List Price
	BALL - 155	\$44.45
	BALL - 1575	\$44.45
	BALL - 15 - 1.0	\$44.45
Handle	BALL - 15 - 1.5	\$55.56
Tande	BALL - 15 - 2.0	\$55.56
	BALL - 15 - 2.5	\$55.56
	BALL - 15 - 3.0	\$66.67
	BALL - 15 - 4.0	\$66.67
	BALLRepairKit5	\$17.78
	BALLRepairKit75	\$31.12
	BALLRepairKit - 1.0	\$44.45
	BALLRepairKit - 1.5	\$108.89
Repair Kit	BALLRepairKit - 2.0	\$137.78
	BALLRepairKit - 2.5	\$246.67
	BALLRepairKit - 3.0	\$400.00
	BALLRepairKit - 4.0	\$711.12

3 - WAY BALL VALVE SPECIFICATIONS

BALL VALVES...

Ball Valves are used in a wide variety of high pressure applications. A full unrestricted flow allows no product restrictions through the valve. Thus, allowing easy diversion.

VNE offers three way ball valves made of T316 (CF8M) stainless steel. With PTFE seats that are easily removed. Clamp and Weld ends are standard. Other connections are available upon request. 1/2" through 4" sizes are available. Ball Valves meet 3A requirements.



BALL VALVE SPECIFICATIONS...

Size: 1/2", 3/4", 1", 1 1/2",

2", 2 1/2", 3", 4"

Material: Passivated 316 Stainless

Steel (ASTM A351,

CF8M)

Connections: Clamp & weld - other

connections available

upon request

Working Pressure: 1/2" - 1" 1,000 psi

1 1/2 "- 2" 1,000 psi 2 1/2" - 4" 800 psi

Temperature Rating: -65 to 350 Degrees F

ORDERING SPECIFICATIONS...

Specify: • Quantity


• Product description or Part No.

Size

IMPORTANT FEATURES...


- Meets 3A requirements
- 100% Tested
- Valves marked with heat numbers for full identification and traceability
- · English hardware
- · Reinforced Teflon® Seats
- · PTFE Cavity Filler, fully encapsulated
- · Locking device handle
- Air Actuator ISO-5211 mounting pad standard on all valves
- · Repair kits are available
- L Port is standard. T Port available upon request

EG93CCC - CLAMP



Size		
Tube OD	L - PORT	T - PORT
1/2	\$344.45	\$344.45
3/4	\$411.12	\$411.12
1	\$544.45	\$544.45
1 1/2	\$911.12	\$911.12
2	\$1,360.00	\$1,360.00
2 1/2	\$2,266.67	\$2,266.67
3	\$3,111.12	\$3,111.12
4	\$4,133.33	\$4,133.33

E93WWW - WELD



Size Tube OD	L - PORT	T - PORT
1/2	\$344.45	\$344.45
3/4	\$411.12	\$411.12
1	\$544.45	\$544.45
1 1/2	\$911.12	\$911.12
2	\$1,360.00	\$1,360.00
2 1/2	\$2,266.67	\$2,266.67
3	\$3,111.12	\$3,111.12
4	POA	POA


	Part Number	List Price
	Ball - 3 - 145	\$44.45
	Ball - 3 - 1475	\$44.45
	Ball - 3 - 14 - 1.0	\$44.45
	Ball - 3 - 14 - 1.5	\$55.56
Handle	Ball - 3 - 14 - 2.0	\$55.56
	Ball - 3 - 14 - 2.5	\$55.56
	Ball - 3 - 14 - 3.0	\$66.67
	Ball - 3 - 14 - 4.0	POA
	Ball - 3 - Kit5	\$60.00
	Ball - 3 - Kit75	\$66.67
	Ball - 3 - Kit - 1.0	\$111.12
D	Ball - 3 - Kit - 1.5	\$200.00
Repair Kit	Ball - 3 - Kit - 2.0	\$333.34
	Ball - 3 - Kit - 2.5	\$666.67
	Ball - 3 - Kit - 3.0	\$1,188.89
	Ball - 3 - Kit - 4.0	\$1,625.00

Spring Return Pneumatic Actuator



Part Number	List Price
BI-52-SR	\$303.17
BI-63-SR	\$322.77
BI-75-SR	\$446.03
<u>BI-85-SR</u>	\$478.08
BI-100-SR	\$581.98
BI-115-SR	\$825.09
BI-125-SR	\$929.19
BI-140-SR	\$1779.56
BI-160-SR	\$2039.51
BI-200-SR	\$3374.42

Double Acting Pneumatic Actuator




Part Number	List Price
BI-32-DA	\$176.10
BI-52-DA	\$276.76
BI-63-DA	\$293.49
BI-75-DA	\$410.82
BI-85-DA	\$449.93
BI-100-DA	\$537.98
BI-115-DA	\$768.45
BI-125-DA	\$821.59
BI-140-DA	\$1456.00
BI-160-DA	\$1761.04

Dome Indicator 110V W/Limit Switches



Part Number	List Price
BALL-ACT-110V-DOME	\$503.71

Solenoid 120V



Part Number	List Price
BALL-ACT-120V-4	\$227.17



PVA Valves

SPECIFICATIONS

PVA VALVE

VNE'S MODULAR DESIGN SANITARY PROCESS VALVE

PVA VALVE....

This valve has an all stainless one piece stem which seals against the body O-ring for positive shut off. With this design, no seals, disks, or O-rings are fastened to the stem, which could cause product entrapment.

MODULAR DESIGN....

A modular design is used throughout this entire line of valves.

SANITARY....

PVA valves meet 3A requirements. With this state of the art design, it allows optimum CIP cleaning of all product contact surfaces.

PVA VALVE....

- Available in 1.5" 3"
- · Made from T316L Stainless Steel
- Offered as EPDM Standard with Viton® and Silicone options.
- Available in Shut off, Divert, and Tank Outlet Configurations.
- Available with Clamp, Weld, Bevel Seat, and E-Line connections. Other connections are available upon request.
- Available in manual or air actuated. An electronic control head can be used with these air operated valves.

PVA ACCESSORIES....

- · Micro switches with Solenoid Valve 110 or 24 volt.
- · Indicating lights for open and closed position.
- Tank Bottom Adapter For Tank Outlet Valve



PVA ACTUATOR....


- Maintenance free
- Instantly reversible from normally open (NO) to normally closed (NC) or vice versa.
- · Instant assembly of electronic control head.
- Two size Actuators: 4" diameter for 1 1/2" and 2" valves. 5" size for 2 1/2" and 3" valves. Made from T304 Stainless Steel.
- Position indicator stem on top of actuator shows open or closed position.
- Operating Air Pressure range 72 108 PSI.



VNE CORPORATION

P.O. Box 1698 • 1149 Barberry Drive • Janesville, WI 53547 TEL: 608-756-4930 • FAX: 608-756-3643 • 1-800-356-1111 • Web site: vnestainless.com

EGPVA - SHUT OFF - CLAMP



	Silicone	EPDM	Viton
Size			
1 1/2	\$1,444.45	\$1,444.45	\$1,500.00
2	\$1,555.56	\$1,555.56	\$1,611.12
2 1/2	\$1,722.23	\$1,722.23	\$1,777.78
3	\$1,977.78	\$1,977.78	\$2,033.34
1 1/2	\$1,533.34	\$1,533.34	\$1,588.89
2	\$1,711.12	\$1,711.12	\$1,766.67
2 1/2	\$1,955.56	\$1,955.56	\$2,011.12
3	\$2,222.23	\$2,222.23	\$2,277.78

EPVA - SHUT OFF - WELD







Size	Silicone	EPDM	Viton
1 1/2	\$1,444.45	\$1,444.45	\$1,500.00
2	\$1,555.56	\$1,555.56	\$1,611.12
2 1/2	\$1,722.23	\$1,722.23	\$1,777.78
3	\$1,977.78	\$1,977.78	\$2,033.34
1 1/2	\$1,533.34	\$1,533.34	\$1,588.89
2	\$1,711.12	\$1,711.12	\$1,766.67
2 1/2	\$1,955.56	\$1,955.56	\$2,011.12
3	\$2,222.23	\$2,222.23	\$2,277.78

EGPVA - TANK BOTTOM - CLAMP





Size	Silicone	EPDM	Viton
1 1/2	\$1,555.56	\$1,555.56	\$1,611.12
2	\$1,666.67	\$1,666.67	\$1,722.23
2 1/2	\$1,833.34	\$1,833.34	\$1,888.89
3	\$2,088.89	\$2,088.89	\$2,200.00

EPVA - TANK BOTTOM - WELD






Size	Silicone	EPDM	Viton
1 1/2	\$1,555.56	\$1,555.56	\$1,611.12
2	\$1,666.67	\$1,666.67	\$1,722.23
2 1/2	\$1,833.34	\$1,833.34	\$1,888.89
3	\$2,088.89	\$2,088.89	\$2,200.00

EGPVA - DIVERT - CLAMP

		Size	Silicone	EPDM	Viton
		1 1/2	\$1,777.78	\$1,777.78	\$2,000.00
		2	\$1,955.56	\$1,955.56	\$2,177.78
	T 77 _	2 1/2	\$2,244.45	\$2,244.45	\$2,466.67
n		3	\$2,666.67	\$2,666.67	\$2,888.89
	_==	1 1/2	\$1,888.89	\$1,888.89	\$2,111.12
	-	2	\$2,066.67	\$2,066.67	\$2,288.89
	4 2	2 1/2	\$2,355.56	\$2,355.56	\$2,577.78
Ы	79	3	\$2,777.78	\$2,777.78	\$3,000.00
13		1 1/2	\$1,888.89	\$1,888.89	\$2,111.12
3C D		2	\$2,066.67	\$2,066.67	\$2,288.89
47		2 1/2	\$2,355.56	\$2,355.56	\$2,577.78
JE.SL	1 97	3	\$2,777.78	\$2,777.78	\$3,000.00
		1 1/2	\$2,000.00	\$2,000.00	\$2,222.23
		2	\$2,177.78	\$2,177.78	\$2,400.00
		2 1/2	\$2,466.67	\$2,466.67	\$2,688.89
	⊺ 99	3	\$2,888.89	\$2,888.89	\$3,111.12

EPVA - DIVERT - WELD



REPLACEMENT PARTS

9

Part Number	List Price
PVAP - Manual - All	\$200.00
PVAP - 1 - NC - 1.5 & 2.0	\$722.23
PVAP - 1 - NC - 2.5 & 3.0	\$877.78
PVAP - 1 - NC - 1.5 & 2.0 - 110V(24V)	\$1,533.34
PVAP - 1 - NC - 2.5 & 3.0 - 110V(24V)	\$1,666.67

STEM - SHUT OFF

STEM - DIVERT

STEM - TANK BOTTOM

Size	Part Number	List Price
1 1/2	PVAP - 7 - 13 - 1.5	\$100.00
2	PVAP - 7- 13 - 2.0	\$122.23
2 1/2	PVAP - 7- 13 - 2.5	\$133.34
3	PVAP - 7 - 13 - 3.0	\$150.00
1 1/2	PVAP - 77 - 13 - 1.5	\$155.36
2	PVAP - 77 - 13 - 2.0	\$195.56
2 1/2	PVAP - 77 - 13 - 2.5	\$233.34
3	PVAP - 77 - 13 - 3.0	\$273.34
1 1/2	PVAP - TANK - 4 - 1.5	\$100.00
2	PVAP - TANK - 4 - 2.0	\$122.23
2 1/2	PVAP - TANK - 4 - 2.5	\$133.34
3	PVAP - TANK - 4 - 3.0	\$150.00

SEAT SEAL - PVAP - 9

Size 1 1/2

2

STEM O-RING - PVAP - 8

2 1/2	\$31.12	\$22.23	\$46.67
3	\$35.56	\$26.67	\$53.34
1 1/2	\$17.78	\$4.45	\$23.34
2	\$17.78	\$4.45	\$23.34
2 1/2	\$22.23	\$8.89	\$33.34
3	\$22.23	\$8.89	\$33.34

EPDM

\$11.12

\$21.34

Viton

\$34.45

\$43.89


Silicone

\$28.89

\$30.00

COMPRESSION VALVE

EG60C-7-R



Size	List Price
1	\$1257.78
1 1/2	\$1333.34
2	\$1600.00
2 1/2	Call VNE
3	Call VNE

	Part Number	List Price
	EG60C-7-R-1.0-2B	\$1.12
	EG60C-7-R-1.5-2B	\$1.12
O-Ring Stem Seal - Viton	EG60C-7-R-2.0-2B	\$1.12
	EG60C-7-R-2.5-2B	Call VNE
	EG60C-7-R-3.0-2B	Call VNE
	EG60C-7-R-1.0-2C	\$2.23
	EG60C-7-R-1.5-2C	\$2.23
O-RIng Stem Seat - Viton	EG60C-7-R-2.0-2C	\$2.67
	EG60C-7-R-2.5-2C	Call VNE
	EG60C-7-R-3.0-2C	Call VNE